

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

## 1 Identification

- **Product identifier**

- **Trade name:** Break-Free CLP Aerosol

- **Product code:**

CLP-12-1, CLP-12-12, CLP-2-1, CLP-2-10, CLP-2-100, (1009218, 1009219, 1009226, 1009227, 1009228)

- **Recommended use and restriction on use**

- **Recommended use:** Lubricant

- **Restrictions on use:** Contact manufacturer

- **Details of the supplier of the Safety Data Sheet**

- **Manufacturer/Supplier:**

Safariland, LLC  
11386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200



- **Emergency telephone number:**

ChemTel Inc.  
+1 (800)255-3924, +1 (813)248-0585

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

Press. Gas H280 Contains gas under pressure; may explode if heated.

Acute Tox. 4 H332 Harmful if inhaled.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS04 GHS07 GHS08

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

1-decene, dimer, hydrotreated

Reaction products of 1-decene, hydrogenated

- **Hazard statements:**

H280 Contains gas under pressure; may explode if heated.

H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways.

- **Precautionary statements:**

P261 Avoid breathing mist.

P271 Use only outdoors or in a well-ventilated area.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Cont'd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 1)

- P312 Call a POISON CENTER/doctor if you feel unwell.  
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P331 Do NOT induce vomiting.  
 P405 Store locked up.  
 P410+P403 Protect from sunlight. Store in a well-ventilated place.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

68649-12-7	Reaction products of 1-decene, hydrogenated	⚠ Asp. Tox. 1, H304	40-60%
68649-11-6	1-decene, dimer, hydrotreated	⚠ Asp. Tox. 1, H304 ⚠ Acute Tox. 4, H332	40-60%
75-37-6	1,1-difluoroethane	⚠ Flam. Gas 1, H220 ⚠ Press. Gas, H280	≤10%

· **Additional information:** For the wording of the listed Hazard Statements refer to section 16.

## 4 First-aid measures

· **Description of first aid measures**

· **General information:** Take affected persons out into the fresh air.

· **After inhalation:**

Supply fresh air.

Seek medical treatment in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Clean with water and soap.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Cont'd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 2)

- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
A person vomiting while lying on their back should be turned onto their side.  
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**  
Coughing  
Breathing difficulty  
Dizziness  
Slight irritant effect on eyes.
- **Danger:**  
Danger of pulmonary edema.  
Danger of impaired breathing.  
Danger of pneumonia.  
Harmful if inhaled.  
May be fatal if swallowed and enters airways.
- **Indication of any immediate medical attention and special treatment needed:**  
If swallowed or in case of vomiting, danger of entering the lungs.  
If necessary oxygen respiration treatment.  
Later observation for pneumonia and pulmonary edema.  
Medical supervision for at least 48 hours.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
Danger of receptacles bursting because of high vapor pressure if heated.  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information:** Cool endangered receptacles with water spray.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**  
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.  
For large spills, wear protective clothing.  
Particular danger of slipping on leaked/spilled product.  
Ensure adequate ventilation.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Allow to evaporate.  
Absorb liquid components with liquid-binding material.

(Cont'd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 3)

- Pick up mechanically.
- Send for recovery or disposal in suitable receptacles.
- **Reference to other sections:**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
  - Avoid splashes or spray in enclosed areas.
  - Keep away from heat and direct sunlight.
  - Use only in well ventilated areas.
- **Information about protection against explosions and fires:**
  - Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.
  - Keep ignition sources away - Do not smoke.
  - Protect from heat.
  - Do not spray on a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
  - Observe official regulations on storing packagings with pressurized containers.
  - Provide ventilation for receptacles.
  - Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:**
  - Store away from foodstuffs.
  - Store away from oxidizing agents.
- **Further information about storage conditions:**
  - Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- **Specific end use(s):** No relevant information available.

## 8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - The usual precautionary measures for handling chemicals should be followed.
  - Wash hands before breaks and at the end of work.
  - Do not inhale gases / fumes / aerosols.
  - Avoid contact with the eyes.

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 4)

Avoid close or long term contact with the skin.

- **Engineering controls:** Provide adequate ventilation.
- **Breathing equipment:**  
Not required under normal conditions of use.  
Use suitable respiratory protective device in case of insufficient ventilation.  
For spills, respiratory protection may be advisable.  
NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**  
Neoprene gloves  
Nitrile rubber, NBR
- **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:**  
Not required under normal conditions of use.  
Protection may be required for spills.
- **Limitation and supervision of exposure into the environment**  
No relevant information available.
- **Risk management measures**  
See Section 7 for additional information.  
No relevant information available.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

- **Appearance:**
- **Form:** Aerosol
- **Color:** Light brown

(Cont'd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 5)

· <b>Odor:</b>	Petroleum-like
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Melting point/Melting range:</b>	Not determined.
· <b>Boiling point/Boiling range:</b>	Not applicable, as aerosol.
· <b>Flash point:</b>	Not applicable, as aerosol.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not self-igniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits</b>	
Lower:	4.9 Vol %
Upper:	20.2 Vol %
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	0.85 g/cm <sup>3</sup> (7.093 lbs/gal) (composant liquide)
· <b>Relative density:</b>	Not determined.
· <b>Vapor density:</b>	Not determined.
· <b>Evaporation rate:</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
VOC (California):	< 5.0 % Vol
· <b>Other information</b>	No relevant information available.

### 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
Danger of receptacles bursting because of high vapor pressure if heated.
- **Possibility of hazardous reactions:**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts violently with oxidizing agents.  
Reacts with strong acids and alkali.

(Cont'd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 6)

- **Conditions to avoid:**  
Store away from oxidizing agents.  
Keep away from heat and direct sunlight.
- **Incompatible materials:** No relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Danger of toxic fluorine based pyrolysis products.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Slight irritant effect on skin and mucous membranes.
- **On the eye:** Slight irritant effect on eyes.
- **Sensitization:** No sensitizing effects known.
- **Subacute to chronic toxicity:** Vapors have narcotic effect.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No relevant information available.

(Cont'd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016




**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 7)

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |   |   |
|---|---|
| · <b>UN-Number</b>  | UN1950  |
| · <b>DOT, ADR, IMDG, IATA</b>   |   |
| · <b>UN proper shipping name</b>  |   |
| · <b>DOT</b>  | Aerosols, non-flammable                         |
| · <b>ADR</b>  | 1950 AEROSOLS                                   |
| · <b>IMDG</b>   | AEROSOLS  |
| · <b>IATA</b>   | AEROSOLS, non-flammable                         |
| · <b>Transport hazard class(es)</b>   |   |
| · <b>DOT</b>  |   |
|  |   |
| · <b>Class</b>  | 2.2   |
| · <b>Label</b>  | 2.2   |
| -----   |   |
| · <b>ADR</b>  |   |
|  |   |
| · <b>Class</b>  | 2 5A Gases                                      |
| · <b>Label</b>  | 2.2   |
| -----   |   |
| · <b>IMDG, IATA</b>   |   |
|  |   |
| · <b>Class</b>  | 2.2   |
| · <b>Label</b>  | 2.2   |
| · <b>Packing group</b>  | This UN-number is not assigned a packing group. |

(Cont'd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 8)

- |  |                 |
|--|-----------------|
| · <b>Environmental hazards</b>   |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Warning: Gases  |
| · <b>Danger code (Kemler):</b>   | -               |
| · <b>EMS Number:</b>   | F-D,S-U         |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

(Cont'd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 30, 2016

Revision: March 30, 2016

**Trade name: Break-Free CLP Aerosol**

(Cont'd. of page 9)

· **Canadian substance listings**

· **Canadian Domestic Substances List (DSL):**

All ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 03/30/2016 / -

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

Flam. Gas 1: Flammable gases, Hazard Category 1

Press. Gas: Gases under pressure: Compressed gas

Press. Gas: Gases under pressure: Liquefied gas

Acute Tox. 4: Acute toxicity, Hazard Category 4

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)